

Versetta Stone™

PRODUCT USAGE



Build something great™ with Boral

- Roof tiles
- Roof Accessories
- Bricks
- Pavers
- Stone

Explore the product range online
www.boralna.com

To learn more about Versetta Stone™ visit
www.versettastone.com

PRODUCT DATA SHEET

DESCRIPTION

Versetta Stone® panelized stone veneer is a non-structural, cement based masonry cladding which is installed with mechanical fasteners on interior or exterior walls. Visit VersettaStone.com to download the installation instructions.

FEATURES AND BENEFITS

- Drain holes in nail strip and starter channel allow incidental water to exit the system
- G-90 galvanized nail strip, plus additional black paint provides confidence in a 60 year corrosion resistance
- Nail strip embedment in concrete provides 200 lb. pull out strength in 6" sample = 1,200 lb. for a full panel
- Offset strip creates $\frac{3}{16}$ " drain plane
- Pre-drilled holes, allow optional installation with screws
- 50% recycled content as validated by UL Environment™
- ICC Evaluation Service

USES

- Created for exterior and interior wall applications as well as use on fireplaces

Fire Performance

Property	Test Method	Result
Surface Burning Characteristics	ASTM E 84	Flame Spread = 5 Smoke Developed = 0

Physical Properties (Expressly For Warranty Purposes, Excluding Dimensions)


Property	Test Method	Result
Heat/Rain Resistance	AC90/ASTM C 1185	Pass
Wind Load*	ASTM E 330	> 120 psf uniform load test pressure. > 90 mph most exposures
Freeze Thaw	ASTM C 666/ASTM C 67	< 3% Mass Loss, 50 Cycles
Flexural Strength	1. Manufacturer 2. AC90	1. Average equi. flex. = 528 psi 2. Flexural strength retention = 85%
Efflorescence	AC51/ASTM C 67	No notable efflorescence
Water Tightness	AC90/ASTM C 1185	No water droplets observed.
Dimensions; Tolerances	Manufacturer	Tolerance from the nominal shall be 2% with a maximum variation of $\frac{1}{8}$ in. (3.175)
Weight	ASTM C 567	Average coverage weight 8.8 psf

*Specific details of exposure, height, area and safety factors will be required for wind resistance on a specific project




DIMENSIONS (NOMINAL)


Flat Panel




Wainscot Cap



Trim Panel



Universal Corner (Un-cut)



www.versettastone.com

KING'S MATERIAL INC.
650 12th Ave SW
Cedar Rapids, IA 52404
(319) 363 0233
www.kingsmaterial.com